



SIZING CHART BY 24"X24"OPENING



HOUSING HEIGHT									
1/2	1	1 1/2	2	2 1/2	3	3 1/2	4		
15 5/8"	27 5/8"	41 1/4"	51 1/4"	64 7/8"	75 7/8"	89 1/2"	100 1/2"		
HOUSING WIDTH									
1/2	1	1 1/2	2	2 1/2	3	3 1/2	4	4 1/2	5
12"	24"	36"	48"	60"	72"	84"	96"	108"	120"



REINFORCEMENT HATS MAY BE REQUIRED AS NEEDED



AIR FLOW



NOTE: MODEL SHOWN ONLY HAS ONE DOOR

SPECIFICATIONS

MADE FROM 16 GAUGE CRS POWDER COAT FINISH STITCH WELDED CONSTRUCTION

(OPTIONAL: ALUMINIZED STEEL OR STAINLESS STEEL)

FILTERS UNIT HOLDS:

2" PRE 23 3/8" X 23 3/8" X 1 3/4"
(HALF SIZE 11 3/8" X 23 3/8" X 1 3/4")

16- 24" X 5 3/4" RD X 1" CANISTERS OR

16- 18" X 5 3/4" RD X 1" CANISTERS (HALF SIZE HOLDS 8-18" OR 24")

DESIGN VELOCITY: 2000CFM PER 24"X24"OPENING (W.G NOT INCLUDING PRE OR POST FILTER)

.66" W.G @500 FT/MN 2000CFM 50% BLEND

MEDIA WEIGHT: +/- 5%

24" CANISTER
CARBON - 96LBS
50/50 BLEND POTASUIM/CARBON - 132 LBS
POTASUIM -160 LBS

18" CANISTER
CARBON -72 LBS
50/50 BLEND POTASUIM/CARBON - 68 LBS
POTASUIM - 120 LBS

REVC: 5 / 17 / 2013
SIZE CHANGE TO 32 3/4 AND 26 3/4 DEPTH OF UNIT
REV D: 8/18/14
DRAWING CHANGED TO BE 2" PRE FILTER

DRAWN	2/4/2013
mfulker	
CHECKED	
TOLERANCE:	+/- 1/16
SQUARNESS	+/- 1/8

INDUSTRY AIR SALES

TITLE		1X1 2P-CANISTER	
SIZE	C	DWG NO	1X1 CAN
SCALE			
			REV D
			SHEET 1 OF 1